

Patient

Last name: _____

First: _____ Male Female

Date cast: / / Footplate size: N W

Birth date: / / Bilateral Left only Right only

Practitioner

Name: _____ Title: _____

Facility: _____

Street address: _____

City: _____ State: _____ Zip: _____

Email: _____ Phone: _____

Billing

Cascade P&O is billing the patient's insurance. **-OR-**

—UCAN N°: _____

Billing info is the same as practitioner facility. **-OR-**

Billing facility: _____

Street address: _____

City: _____ State: _____ Zip: _____

P.O. N° : _____

Shipping

Shipping info is the same as practitioner facility. **-OR-**

Shipping contact name: _____

Street address: _____

City: _____ State: _____ Zip: _____

Cast Correction • Position of Function

ANKLE ALIGNMENT (Dorsiflexion–Plantarflexion)

Correct to 3–4° DF Correct to _____° Do not correct (Cast alignment OK)

HINDFOOT ALIGNMENT

Correct to vertical (if misaligned) Do not correct

FOREFOOT ALIGNMENT NOTE: Drawings show finished orthosis.

Choose forefoot alignment. Write posting height if needed—in. or cm.

Valgus	Varus	Neutral	Neutral	Varus	Valgus
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bottom Stabilization

None—Standard


Heel **-OR-** Midfoot **-OR-** Both

Entire bottom stabilized with foam sole

Entire bottom stabilized with foam sole and non-skid cover

NOTE: Varus or valgus forefoot alignments will receive stabilization on bottom of brace to support posted (raised) region.

Construction • Features • Options



NOTE: If you don't choose an option, you will receive the **Standard**.

Posterior Height: Height = foot length Specify: _____

Standard

• Cast height must be greater than brace height •

Padding: Shaded areas above are **Standard**

Add extra navicular padding (boney pronators only)

Padding Color: **White Standard** Other: _____

Straps: **Standard** (see drawing) Add toe abduction strap

Add Anterior Strap: Elastic - or - Non-stretch

(NOTE: The DAFO 3 is not designed to block DF. If DF block is needed, see the DAFO FA/Turbo.)

Strap Color: **White Standard** Other: _____

Instep Strap Pattern: **No pattern Standard** Other: _____

Transfer Pattern: (Additional cost per brace) **No Transfer Standard**

Pattern: _____ Provide Own Pattern

Toe Shelf

Flexible — no containment Standard

Medial containment: Soft foam (flexible) Plastic

AND / OR

Lateral containment: Soft foam (flexible) Plastic

Special Instructions

Rush order (adds \$25)